

Exam 000-935 study material

Made available by CertsKing.com



Free 000-935 Exam Preparation Questions

Exam 000-935: IBM Tivoli Workload Scheduler for z/OS V8.3 Administration

Question:1

A jobstream being submitted by TWSz contains a text string that could be interpreted as a JCL variable (for instance, "MYVAR"), but there is no variable of that name in any variable table associated with the operation being started. What does TWSz do?

- A. It sets the job to ERROR status with an OJCV error code.
- B. It handles the situation as specified in the OPCOPTS VARFAIL() parameter.
- C. It submits the job without attempting to resolve the variable, assuming it is a symbolic JCL reference which will be handled by JES.
- D. It issues a WTO, prompting the user to log on to the JCL SETUP workstation and manually enter the desired value for the undefined variable.

Answer: B**Question:2**

Which steps must be followed when migrating from the Tivoli Workload Scheduler (TWS) V8.2 to TWS V8.3 without an IPL?

- A. specify CURRPLAN(NEW) in JTOPTS, and BUILDSSX(MERGE) and SSCMNAME(EQQSSCMG) on the OPCOPTS initialization statement
- B. specify CURRPLAN(NEW) in JTOPTS, and BUILDSSX(REBUILD) and SSCMNAME(EQQSSCMG) on the OPCOPTS initialization statement
- C. specify CURRPLAN(NEW) in OPCOPTS, and BUILDSSX(REBUILD), and SSCMNAME(EQQSSCMG) on the JTOPTS initialization statement
- D. specify CURRPLAN(CURRENT) in JTOPTS, and BUILDSSX(REBUILD) and SSCMNAME(EQQSSCMG) on the OPCOPTS initialization statement

Answer: B**Question:3**

What is the maximum length of the z/OS started task name of the JSC server?

- A. 4 characters
- B. 6 characters
- C. 7 characters
- D. 8 characters

Answer: D**Question:4**

How often should the TWSz EQQEVDS, EQQSUDS, EQQTWSIN, and EQQTWSOU datasets be backed up?

- A. They should be backed up at least daily.
- B. They should be backed up at shutdown of the owning task.
- C. They should never be backed up, as these datasets are device-sensitive, immovable datasets.
- D. They should be backed up at least once per hour during periods of peak TWSz activity, and less frequently at other times.

Answer: C**Question:5**

Which parameter keywords must contain the same value in order to establish a connection between a controller and an XCF-connected tracker?

- A. The HOSTCON keyword in the tracker TRROPTS statement and the XCF keyword in the controller ROUTOPTS statement
- B. The MEMBER keyword in the tracker XCFOPTS statement and the XCF keyword in the controller ROUTOPTS statement
- C. The MEMBER keyword in the tracker XCFOPTS statement and the MEMBER keyword in the controller XCFOPTS statement
- D. The HOSTCON keyword in the tracker TRROPTS statement and the MEMBER keyword in the controller XCFOPTS statement

Answer: D**Question:6**

Which action is taken if multiple EQQLSENT macros specify the same dataset name (STRING)?

- A. The last entry that matches is used.
- B. The first matching EQQLSENT entry is used.
- C. An ERROR is generated and the EQQDSLST assembly fails.

D. The most specific match is used. If USERID and JOBNAME are both specified on one EQQLSENT entry, then that one will be used instead of one that matches only on USERID.

Answer: B

Question:7

Which parameter keywords must contain the same value in order to establish a connection between a controller and an SNA-connected tracker?

- A. The SNAHOST keyword in the tracker TRROPTS statement and the SNA keyword in the controller ROUTOPTS statement
- B. The SNAHOST keyword in the tracker TRROPTS statement and the NCFAPPL keyword in the controller OPCOPTS statement
- C. The NCFAPPL keyword in the tracker OPCOPTS statement and the NCFAPPL keyword in the controller OPCOPTS statement
- D. The OPCHOST keyword in the tracker OPCOPTS statement and the NCFAPPL keyword in the controller OPCOPTS statement

Answer: B

Question:8

A scheduled job has a special resource defined. If the physical resource represented by the special resource is not available for use, which action should be performed to prevent the scheduled job from running?

- A. Delete the special resource from the current plan
- B. Delete the special resource from the special resource database
- C. Update the special resource availability in the special resource monitor to N
- D. Update the special resource availability in the special resource database to N

Answer: C

Question:9

Which two options are disabled by the ETT function being turned off by using service panel 9.7, DEACTIVATE THE ETT FUNCTION? (Choose two.)

- A. SRSTAT ability to add applications to the current plan
- B. EQQYCAIN ability to add applications to the current plan
- C. OPSTAT ability to change the status of operations in Tivoli Workload Scheduler
- D. Dataset Close ability to add applications to the current plan
- E. OPINFO ability to set the user field of an operation in the current plan

Answer: A, D

Question:10

When an occurrence is added to the current plan by ETT processing, will that occurrence's external dependencies be honored by subsequent daily planning jobs?

- A. Yes, if all normal dependency criteria are met.
- B. No, not even if normal dependency criteria are met
- C. Yes, but only if the ETT definition specifies DR =Y
- D. Yes, unless the ETT added occurrence has already completed when the CP is extended.

Answer: B

For complete [Exam 000-935 Training kits and Self-Paced Study Material](http://www.certsking.com/000-935)

Visit:

<http://www.certsking.com/000-935.html>

CERTSKING

The Best Leader In Certifications

<http://www.certsking.com/>

